

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions, and listing of claims in the application:

LISTING OF CLAIMS:

Claim 1 (Currently amended) An offset pen, comprising:

a holding portion provided for a user to operate with a hand and
having a longitudinally extended first axis;

a writing portion laterally spaced from said holding portion and
having a second axis extending at an inclined angle with respect to said first
axis; ,in which

a writing tip is provided for writing, said writing tip having and a
writing tip seat is provided formed around the an outside of the said writing tip
for releasable coupling to said writing portion; and,

an intermediate portion connected between a front end of said
holding portion and a back end of said writing portion so that a visible space is
formed between the writing portion and the holding portion; ~~and~~

said the holding portion is provided being formed with a
longitudinally extended storage chamber capable of allowing for receiving a
plurality of writing tips in succession therein, wherein the said storage chamber
extends extending to an opening in said to the intermediate portion to for

depositing said the writing tips into said visible space ready for use as a replacement of said writing tip coupled to said writing portion.

Claim 2 (Original) The offset pen according to claim 1, in which the writing tip capable of marking is made of a pencil, a coloring pencil, a charcoal, a wax writing, a power coloring writing, a rubber, a water fiber writing tip, a water animal wool writing tip, a water chemical wool fiber writing tip, a water plastics-combined writing tip, all of which tips are in the form of water, oil, and powder solid body.

Claim 3 (Currently amended) The offset pen according to claim 1, wherein said writing tip seat has which a protruding rib is provided on the formed on a surface thereof the writing tip seat so that the writing tip seat, closely contacted with the writing portion, may also be smoothly drawn out of the for facilitating removal of said writing tip from said writing portion.

Claim 4 (Currently amended) The offset pen according to claim 1, wherein said writing portion includes which a fixing pillar extending therefrom is formed at the writing portion and then fixed to said portion so that the fixing pillar may held to prevent the for engagement with said writing tip seat from drawing back.

Claim 5 (Currently amendment) The offset pen according to claim 4, wherein
said fixing pillar has ~~which a protruding enhancement rib is provided~~ formed on
a the surface thereof the fixing pillar in order to reduce ~~for reducing~~ friction so
that ~~the fixing pillar, closely contacted with the~~ said writing tip seat, ~~may also be~~
is smoothly drawn out of the writing tip seat removable from said fixing pillar.

Claim 6 (Currently amended) The offset pen according to claim 4, wherein said
fixing pillar is threadedly engaged with said writing portion and an extension
length of said ~~which the fixing pillar is flexible in length by the thread or by~~
~~other wedge~~ adjusted inwardly and outwardly responsive to rotation of said
fixing pillar relative to said writing portion.

Claim 7 (Currently amended) The offset pen according to claim 1, wherein
~~which the~~ a front end of the said writing portion ~~is provided with~~ has a fixing
pillar extending therefrom for engagement by said writing tip for securement
thereof to said writing portion ~~capable of holding to prevent the pen tip from~~
~~drawing back when the pen tip seat is covered around the fixing pillar.~~

Claim 8 (Currently amended) The offset pen according to claim 1, wherein
~~which a larger~~ said writing tip seat ~~following the required specification may be~~
~~located at the~~ engages an external surface of said writing portion ~~from outside.~~

Claim 9 (Currently amended) The offset pen according to claim 8, wherein
~~which the~~ said writing tip seat has threads formed on an internal surface thereof
and the said writing portion has threads formed on said external surface, whereby
said writing tip seat is threadedly engaged with said writing portion ~~are together~~
~~connected with a thread or locked otherwise.~~

Claim 10 (Currently amended) The offset pen according to claim 1, wherein
~~which the~~ a front section of the said storage chamber is provided with a confining
fringe ~~used to~~ for fixing a respective the writing tip seat of the ~~forefront side;~~
~~then, it makes the front section of the writing tip seat~~ a front-most writing tip,
said confining fringe being positioned in said front section to form a buffer space
~~to~~ for preventing the user from being stabbed when the pen tip stretches out a
stored writing tip from extending into said visible space and contacting a user.

Claim 11 (Currently amended) The offset pen according to claim 1, ~~in which the~~
~~tail of the holding portion may be provided with~~ further comprising a rubber
member disposed at a tail end of said holding portion.

Claim 12 (Currently amended) The offset pen according to claim 1, wherein ~~which the~~ said holding portion, ~~the~~ said writing portion, and ~~the~~ said intermediate portion are ~~all-in-one made~~ formed in one-piece formation.

Claim 13 (Original) The offset pen according to claim 1, in which the holding portion is provided with a polygonal handhold for smooth holding effect.

Claim 14 (Currently amended) The offset pen according to claim 13, wherein ~~which the~~ said holding portion and ~~the~~ said handhold are ~~all-in-one made~~ formed in one-piece formation.

Claim 15 (Original) The offset pen according to claim 13, in which the handhold may be made of soft materials and additionally covered around the holding portion for the user to smoothly hold by hand.

Claim 16 (Cancelled).

Claim 17 (Currently amended) The offset pen according to claim 1, ~~in which~~ further comprising an inner tube ~~is provided~~ disposed in said storage chamber, wherein writing tips ready for replacement are contained in said inner tube so that the whole inner tube may be directly replaced with another one, and a distance

MR2723-204/CIP

Serial Number: 10/658,287

Reply to Office Action dated 21 September 2004

between the inner tube and the writing tip may be limited to make each writing tip smoothly move without ~~writing tips~~ jamming.

Claims 18 - 21(Cancelled).